		E to r couron i				
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5584	(726/2,11,13,16,22,23-25,26,27.cds.   713/188.cds.   380/59.cds.) AND (@pdx *20040519" or @adx *20040519" or @prad< *20040519" or @rlad< *20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:30
L2	187	(decreas\$3   decrement\$3) AND (increas\$3   increment\$3) AND threshold AND (increas\$3   increment\$3) AND threshold AND (726/2,11,13,16,22,23-25, 26,27.cds.   713/188.cds.   380/59.cds.) AND (@pd<*20040519* or @prad<*20040519* or @prad<*20040519* or @prad<*20040519* or @riad<*20040519* or @prad<*20040519* o	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:31
L3	187	(decreas\$3   decrement\$3) AND (increas\$3   increment\$3) AND threshold AND signature\$1 AND (726/2,11,13,16,22, 23-25,26,27.cds.   713/188.cds.   380/59.cds.) AND (@pd="20040519" or @prad<"20040519" or @prad<"20040519" or @fad="20040519" or @f	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:32
L4	143	("IDS"   intrusion detection) AND (decreas\$3   decrement\$3) AND (increas\$3   increment\$4) AND (increas\$3   increment\$5) AND threshold AND signature\$1 AND (726/2,11,13,16,22, 23-25,26,7 cods.   713/188 cods.   380/59.cds.) AND (@pd<"20040519" or @prad<"20040519" or @prad<"20040519" or @prad<"20040519" or @prad<"20040519" or @prad<"20040519" or @prad	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:40
L5	177	("IDS"   intrusion detection) AND (increas\$3   decrement\$3) AND (increas\$3   increment\$3) AND threshold AND (signature\$1   pattern\$1) AND (726/2,11, 31,6.22,2.52,6.26,7.03, 1713/188,cds.   380/59,cds.) AND (@pd<"20040519" or @adc"20040519" or @prad<"20040519" or @flad<"20040519"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:50
L6	543	("IDS"   intrusion detection) AND (IdeceasS3   decrementS3)   (increasS3   incrementS3)   NEAR (signatureS1   patternS1) NADA (780/2.11.13.16.22.23-25, 26.27.cds.   713/188.cds.   380/59.cds.) AND (@pd<"20040519" or @prad<"20040519" or @prad	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:51

9/8/2008 3:33:44 PM Page 1

		LAST Search	ii3toi y			
L7	216	("IDS"   intrusion detection) AND threshold AND ((decreas\$3   decrement\$3)   (increas\$3   increment\$3) NEAR (signature\$1   patten\$1) AND (726/2,11, 13,16,22,23-25,26,27.cds.   713/188.cds.   380.59.cds.) AND (@pd<"20040519" or @pad<"20040519" or @prad<"20040519" or @flad<"20040519" or	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:52
L8	4	("IDS"   intrusion detection) AND threshold AND ((decreas\$3   decrement\$3) AND (increas\$3   increment\$3) NEAR (signature\$1   pattern\$1)) AND (726/2,11, 3,16,22,25-26,26,70.63, 1713/188.cds.  380/59.cds.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @flad<"20040519" or @	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:52
L9	76	("IDS"   intrusion detection) AND threshold AND ((decreas52) decrement(53) AND (increas52)   increment(53) SAME (signature\$1   pattern\$1)) AND (726/2,11, 31,6,22,2-52,6,27,0x6), 1713/188,cds.   380/59,cds.) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @flad<"20040519"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:52
L10	2	*20030061514*.pn.	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 09:54
L11	2	*20050037733*.pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 10:46
L12	8	(confidence   certainty) value AND ("IDS"   intrusion detection) AND (decrees\$3   decrement\$3] AND (incres\$5   increment\$3] AND threshold AND (signature\$1   pattern\$1) AND (726/2,11, 13,16,22,2-32,5,627.cols,   713/188.cds,   380/59.cds, ) AND (@pd<"20040519" or @ad="20040519" or @grad<"20040519" or @grad	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/08 14:24
S1	2202	713/176.ccls. AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:24

		2101 0001011				
82	388	(intrusion detection OR "IDS" OF host intrusion OR "IID\$" OF host intrusion OR "IID\$") AND value AND (receiv\$3 OF recept\$3) AND match\$3 AND signature AND 713/176 cds. AND (@pd<"20040519" or @ad<"20040519" or @ad<"20040519" or @alad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:24
83	2543	(intrusion detection OR "IDS" OR host intrusion OR "HDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND ("713" das. OR "726" das.) AND (@pd< "20040519" or @prad< "20040519" or @prad< "20040519" or @r	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:31
S4	366	determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.cds. AND (@pd<"20040519" or @prad<"20040519" or @prad<"20040519" or @fad<"20040519" or @fad<	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:24
<b>S</b> 5	190	(decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "ID\$" OR host intrusion OR "HID\$") AND value AND (receiv\$3 OR recepi\$3) AND match\$3 AND signature AND 713/176.cds. AND (@pd<"20040519" or @pd<"20040519" or @pd<"200	US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:25
S6	54	data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR ado\$5) AND determin\$\$ AND (intrusion detection OR "ID\$" OR host intrusion OR "HD\$") AND value AND (receiv\$3) OR recept\$3) AND match(\$3 AND signature AND 713/176.cds. AND (@pd< "20040519" or @ad< "20040519" or @pd< "20040519" or @plad< "20040519")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:27
S7	35	filter AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "IID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176 cds. AND (apd<"20040519" or @pd<"20040519" or @pd<"20040519" or @pd<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:26

		EAST Search	listory			
\$8	43	(filter OR screen OR scrutinize OR analyze) AND data AND packet AND (decrement OR decrease OF lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HIDS") AND value AND (receiv§3 OR recept§3) AND match\$3 AND signature AND 713/176 cds. AND (@pd<"20040519" or @ad<"20040519" or @rlad<"20040519" or @rlad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DEFWENT; IBM_TDB	ADJ	ON	2007/08/15 15:26
S9	51	network AND data AND packet AND (decrement OR decrease OR lower OR subtracts3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "IHID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.cds. AND captract "20040519" or @pd<"20040519" or @pd<"20040519" or @pd<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:27
S10	51	network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "IID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.cds. AND captact "20040519" or @pd<"20040519" or @pd<"20040519" or @pd<"20040519")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:28
S11	0	trust level AND network AND data AND packet AND (decrement OR decrease OR lower OR subtract\$3) AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.cds. AND (@pdc-"20040519" or @prad<"20040519" or @prad<"20040519" or @rad<"20040519" or @rad<"2004	US-PGPUB; USPAT; USOCR; EPO; DEFWENT; IBM_TDB	ADJ	ON	2007/08/15 15:29
S12	3	(trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OF subtract\$3 \), AND (increment OR increase OR raise OR add\$5) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND 713/176.cds. AND (@pd<"20040519" or @prad<"20040519" or @prad<"20040519" or @rad<"20040519" or @rad<"20040519"	US-PGPUB; USPAT; USOCR; EPO; DEFWENT; IBM_TDB	ADJ	ON	2007/08/15 15:29

		EAST Search	пысогу			
S13	47	(trust NEAR level) AND network AND data AND packet AND (decrement OR decrease OR lower OR subtracts3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin§5 AND (intrusion detection OR "105" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND ("713" class. OR "726" clas.) AND (@pdc. "20040519" or @prad< "20040519" or @prad< "20040519" or @nad< "20040519" or @ilad< "20040519" o	US-PGPUB; USPAT; USOCR; EPO; DEFWENT; IBM_TDB	ADJ	ON	2007/08/15 15:33
S14	574	network AND data AND packet AND (decrement CR decrease OR lower OR subtract\$3) AND (increment OR increase OR risse OR addition OR adding OR add) AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND ("713" das. OR "726" das.) AND (@pd<"20040519" or @ad<"20040519" or @prad~"20040519" or @prad~"20040519")	US-PGPUB; USPAT; USOOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 15:33
S15	287	(trust NEAR level OR degree) AND network AND data AND packet AND (decrement OR decrease OF lower CR subtracts3) AND (increment OR increase OR raise OR addition OR adding OR add) AND determin\$5 AND (intrusion oR "IDS" OR host intrusion OR "IHD\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND ("713" das OR "728" clas) AND (@pd<"20040519" or @ad<"20040519" or @prad<"20040519")	US-PGPUB; USPAT; USOCR; EPO; DEHWENT; IBM_TDB	ADJ	ON	2007/08/15 16:20
S16	663	(measure\$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin\$5 AND (intrusion detection OR "1DS" OR host intrusion OR "HID\$1") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND ("713" clas. OR "726" clas.) AND (@pd < "20040519" or @ad < "20040519" or @grad < "20040519" or @grad < "20040519" or @grad < "20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:22
S17	386	(measure\$4 OR trust NEAR level OR degree) AND network AND data AND packet AND determin\$5 AND (intrusion detection OR "IDS" OR host intrusion OR "IDS" OR host intrusion OR "IDS" OR host intrusion OR recept\$3) AND match\$3 AND signature AND database AND log AND ("713" das. OR "726" das.) AND (@pd< "20040519" or @prad< "20040519" or @prad	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23

		EAST Search	i i story			
S18	387	(measure\$4 OR trust NEAR level OR degree) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND (intrusion detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND ("713" das. OR "726" clas.) AND (@pd<"20040519" or @ad<"20040519" or @pdd<"20040519" or @pdd<"20040519" or @plad<"20040519" or @plad<"200405	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23
S19	331	(measure\$4) AND network AND data AND packet AND (determin\$5 CR compar\$3) AND intrusion detection OR "IDS") AND value AND (ireceiv\$3 CR recept\$3) AND match\$3 AND signature AND database AND log AND ("713" clas. OR "726" clas.) AND (@pd<"20040519" or @ad<"20040519" o	US-PGPUB; USPAT; USCCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:23
S20	18	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND introvious detection OR "IDS") AND value AND (receiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND 713/176 ccts. AND (@pd<*20040519" or @ad<*20040519" or @ad<*20040519" or @ad<*20040519" or @rad<*20040519" or @rad<*20040	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:25
S21	8	(measure\$4) AND network AND data AND packet AND (determin\$5 OR compar\$3) AND introduced of "IDS") AND value AND (ireceiv\$3 OR recept\$3) AND match\$3 AND signature AND database AND log AND 728/13.ccls. AND database AND compar\$4 20040519" or @ad<*20040519" or @ad<*20040519" or @ad<*20040519" or @rad<*20040519" or @rad<*20040519" or match*20040519" or match	US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:28
S22	201	(measure\$4) AND network AND data AND packet AND (determins\$5 CR compar\$3) AND intrusion detection OR "IDS") AND value AND (receiv\$3 CR recept\$3) AND match\$3 AND signature AND database AND log AND "726" clas. AND (Qpd<"20040519" or @ad<"20040519" or @grad<"20040519" or @grad<"20040519" or @ilad<"20040519" or more and the packet and the	US-PGPUB; USPAT; USCOR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:25
S23	12	(measure\$4) AND network AND data AND packet AND (intrusion detection OR "IDS") AND signature AND database AND log AND 726/13 cds. AND (@pd="20040519" or @prad="20040519" or @ilad="20040519" or @ilad="20040519" or @ilad="	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:29
S24	13	(measure\$4) AND network AND (intrusion detection OR*105") AND signature AND database AND log AND 726/13.cds. AND (@pd<*20040519" or @ad<*20040519" or @prad<*20040519" or @riad<*20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:55

			•			
\$25	13	(measure\$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/13.cds. AND (@pd="20040519" or @ad="20040519" or @frad<"20040519" o	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:57
S26	87	(measure\$4) AND network AND (intrusion detection OR "IDS" OR intrusion protection OR "IDS" OR intrusion protection OR intrusion prevention OR "IPS") AND signature AND database AND log AND 726/23.cds. AND (@pd="20040519" or @prad<"20040519" or @idad="20040519") or @idad="20040519")	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/15 16:58
\$27	2	"6279113".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:44
S28	2	*7032114".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:59
S29	2	*5796942*.pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/16 07:59